CORRECTION Open Access

Correction: Measurement properties of the minimal insomnia symptom scale (MISS) in adolescents

Gita Hedin^{1,2*}, Pernilla Garmy^{1,2}, Annika Norell-Clarke^{1,3}, Hanne Tønnesen², Peter Hagell¹ and Albert Westergren^{1,4}

Correction: Sleep Sci Pract 6, 5 (2022) https://doi.org/10.1186/s41606-022-00075-9

Following publication of the original article (Hedin et al. 2022), the authors identified errors in Table 1. The correct table is given below.

The original article (Hedin et al. 2022) has been corrected.

Author details

¹Faculty of Health Sciences, Kristianstad University, SE-291 88 Kristianstad, Sweden. ²Department of Health Sciences, Faculty of Medicine, Clinical Health Promotion Center, WHO-CC, Lund University, SE-221 85 Lund, Sweden. ³Department of Social and Psychological Studies, Karlstad University, SE-651 88 Karlstad, Sweden. ⁴Department of Health Sciences, Health-Promoting Complex Interventions, Lund University, SE-221 85 Lund, Sweden.

Published online: 05 July 2022

Reference

Hedin G, Garmy P, Norell-Clarke A, et al. Measurement properties of the minimal insomnia symptom scale (MISS) in adolescents. Sleep Sci Pract. 2022;6:5. https://doi.org/10.1186/s41606-022-00075-9.

The original article can be found online at https://doi.org/10.1186/s41606-022-00075-9.

*Correspondence: gita.hedin@hkr.se

² Department of Health Sciences, Faculty of Medicine, Clinical Health Promotion Center, WHO-CC, Lund University, SE-221 85 Lund, Sweden Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

Table 1 Raw score distribution and floor-/ceiling effects for the MISS; the four-item MISS; and the MISS-R scale

	MISS ^a	4-item MISS ^b	MISS- R a
Total sample			
N (missing %) ^c	2968 (1.8)	2955 (2.2)	2980 (1.4)
Mean (SD) score	3.19 (2.3)	4.49 (3.1)	3.10 (2.3)
Median (q1-q3) score	3 (1-5)	4 (2-6)	3 (1-4)
Floor/ceiling, %	10.1/0.4	8.6/0.3	11.6/0.4
Younger ^d			
n (missing, %) ^c	1491 (1.8)	1491 (1.8)	1507 (0.7)
Mean (SD) score	2.55 (2.1)	3.53 (2.8)	2.48 (2.1)
Median (q1-q3) score	2 (1-4)	3 (1-5)	2 (1-3)
Floor/ceiling %	15.7/0.3	13.5/0.2	17.4/0.3
Older ^e			
n (missing %) ^c	1477 (1.8)	1464 (2.7)	1473 (2.1)
Mean (SD) score	3.83 (2.3)	5.47 (3.1)	3.72 (2.3)
Median (q1-q3) score	4 (2-5)	5 (3-7)	3 (2-5)
Floor/ceiling %	4.5/0.5	3.5/0.4	5.7/0.4
Females			
n (missing, %) ^c	1566 (0.1)	1560 (0.2)	1570 (0.1)
Mean (SD) score	3.31 (2.2)	4.67 (3.0)	3.20 (2.2)
Median (q1-q3) score	3 (2-5)	4 (3-6)	3 (2-4)
Floor/ceiling %	7.3/0.3	6.1/0.3	9.1/0.4
Males			
n (missing %) ^c	1364 (0.2)	1357 (0.2)	1372 (0.1)
Mean (SD) score	3.05 (2.4)	4.28 (3.2)	2.98 (2.3)
Median (q1-q3)	3 (1-4)	4 (2-6)	3 (1-4)
Floor/ceiling %	13.3/0.4	11.3/0.3	14.4/0.3

MISS, Minimal Insomnia Symptom Scale; SD, Standard Deviation

^a Possible total score range, 0-12

 $^{^{\}rm b}\,$ Possible total score range, 0-16

 $[^]c\,$ Number of respondents with complete responses (percentage of responders with $\ge \! 1$ missing item response)

^d Younger: 13-15 years old

^e Older: 16-17 years old